



世界初の汎用型デジタルカメラ用防水ケース

## Product code

SS-i6

## Product name

40-meter underwater photo housing for iPhone 6

## Product Brief Introduction

SS-i6 is a 40-meter underwater photo housing for iPhone 6, which allows you to take underwater photos and videos that you have never had with your iPhone before.

SS-i6 is made of top quality plastic which can protect itself against water pressure and impacts while enjoying water sports.

Seashell SS-i6 allows the user to control their smartphone for photo / video operation. The Seashell SS-i6 works well with the standard photo app as well as our proprietary Seashell lite App and Seashell ProApp. This App provides various functions which make underwater photo taking a lot easier.

SS-i6 is preset for a bare iPhone 6. However, it comes along with a set of spare spacers. By changing these spacers, the users can customize SS-i6 to an iPhone with phone jacket in just minutes.

The window of SS-i6 is made of multi-layer A/R coated tempered optical glass for the best quality pictures.

SS-i6 is lovely, user friendly and certainly the best companion for sun and beach vacations and water sports like diving, snorkeling, swimming, wind surfing, skiing, fishing, boating and more...



**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfo.no](http://www.marinfo.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)



Seashell comes with one year limited warranty.



## Product details



**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfoto.no](http://www.marinfoto.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)





Suitable for Apple iPhone 6

## Product description

SS-i6 is a 40-meter underwater photo housing for iPhone 6. SS-i6 can turn your iPhone into an underwater camera, which allows you to take underwater photos and videos that you have never had with your iPhone before.

SS-i6 is made of top quality, highly transparent polycarbonate plastic, the same material in producing DVD. It is a kind of really tough material which can protect itself against water pressure and impacts while enjoying water sports.



Seashell SS-i6 incorporates with 4 press buttons on the rear housing which allow the user to control their smartphone for photo / video taking, photo / video mode selecting, and reviewing. Our patented touch screen button control can operate all these functions with good control feeling, no matter it is underwater or above water.

Tripod mount and hot shoe mount are provided, which allow the user to mount accessories, e.g. optional SS-light LED torch light for underwater lighting.

Seashell SS-i6 allows the user to control their iPhone for photo / video operation. The Seashell SS-i6 works well with the standard photo app as well as our proprietary



**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfo.no](http://www.marinfo.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)



Seashell lite App and Seashell pro App. These Apps provide various functions which make underwater photography a lot easier.

Features of Seashell Lite are:

1. Disable automatic orientation of phone screen for easier underwater video taking
2. Battery level indication for battery status monitoring
3. Extra-large and off-button control icons for easy viewing
4. Automatically disable the flash light of the phone to prevent reflection
5. Automatic maximum brightness for easy viewing outdoor and underwater
6. Picture review function and self-started video review function
7. Automatic power saving for extended time of underwater usage.

The Seashell Pro app can give additional function in addition to the Seashell lite app with EV +/- control, digital color filter and time lapse functions. Time lapse function allows the user to take self-portrait 10 seconds after activation and continuously take pictures at intervals of 3 seconds. Control of switching between front and rear camera is also possible with Seashell Pro app.

SS-i6 is preset for a bare iPhone 6. However, it comes along with a set of spare spacers. By changing these spacers, the users can customize SS-i6 to an iPhone with phone jacket in just minutes.



The window of SS-i6 is made of multi-layer A/R coated tempered optical glass. It can provide the best quality pictures underwater and above water. SS-i6 also includes an internal lens hood which can minimize light disturbance.

Seashell SS-i6 can also adapt an optional wide angle lens with phone jacket as a separate purchase item. This wide angle lens can provide a much wider view angle and, at the same time, a better depth of field underwater. With this option, Seashell provides the best wide angle solution ever at this moderate cost. SS-i6 owns a patented lock system design. It is reliable and easy to use. SS-i6 is equipped with 4 ear-rings which allow the users to attach neck strap and hand



strap (included) in different ways. A tripod mount is provided, which allows the user to mount accessories, e.g. optional Seashell SS-light II LED torch light for underwater lighting or Seashell selfie stick.

A comprehensive user manual in every SS-i6 set and on-line manuals in various languages are provided to give detailed explanation on the setup of SS-i6, operation, test procedures, and maintenance methods. Optional spare O-ring and O-ring grease are available as optional purchase items.

SS-i6 is lovely, user friendly and certainly the best companion for sun and beach vacations and water sports like diving, snorkeling, swimming, wind surfing, skiing, fishing, boating and more...

Seashell SS-i6 comes with one year limited warranty.

## Features summary

- Compatible with Apple iPhone 6
- Work with standard camera app and proprietary Seashell lite app
- Easy configuration for different phone model within minutes
- Can fit with and without phone jack
- Can adapt 0.68X internal wide angle lens (optional)
- IP8X 40 meters waterproof
- IP6X Dust proof
- 1 Meter shock resistance
- Zero to 45 deg C operation
- Hard housing for better phone protection
- High quality optical glass window with multi A/R coating
- Easy to hold and lock design
- Hand strap included
- Various gem stone colors for selection
- International patent



**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfoto.no](http://www.marinfoto.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)





## Seashell SS-i6 Apps description

SS-i6 works with Apple iOS camera app and Seashell Lite app

With Seashell Lite app, your iPhone turns into an underwater camera



**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfoto.no](http://www.marinfoto.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)




## Seashell Lite features

- Re-arrangement of keys
- Control of Still Picture / Video mode
- Instant play back
- Battery status display
- Forced flash off
- Automatic power saving mode
- Disable auto screen rotation
- Large and easy readable screen layout

## Seashell Pro features (additional features at advanced manual)

- EV+/- control (from -1 to +2)
- Digital color filters (3 standard filters + one user customizable filter)
- Time lapse (10 seconds + 3 seconds per pictures)
- Control of switching between front and rear camera

Seashell Lite can be free down load from Apple app store



Seashell Pro is sold at USD 5.99 from Apple app store



**Optical quality window**



**Display hood**



**Lens hood**



**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

www.marinfoto.no  
marin@uvfoto.com






**Press buttons**



**Easy locking system**



**Hotshoe mount**



**Tripod mount**

Fashionable 

Seashell SS-i6 is available in various gem stone like colors  
Amber, Onyx, Ruby and Sapphire



## **Specifications**



**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfoto.no](http://www.marinfoto.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)








- Maximum Water Depth: 40M (131ft) IPX8 Standard
  - Shock Resistance: 1 Meter (on wooden floor)
  - Dust Proof: IPX class 6 complied
  - Operating Temperature: 0 deg C to 45 deg C (32 deg F to 113 deg F)
  - Water Proof elements: O-ring, O-ring grease and etc.
  - Optical element: 3mm tempered optical glass with A/R coating
  - Dimensions: 180mm (W) x105mm (H) x 48mm (D)
  - Housing volume: 420 cm cube
  - Weight: 275g (main body only)
  - Floatation: -6 gram negative (based on no phone jacket)
  - Material safety: REACH compliance
  - Storage: High, low Temperature and Humidity Storage compliance.
  - Corrosion resistance: complied
- (Specifications subject to change without prior notice)

## Pictures from Seashell SS-i and SS-i5 users



**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfoto.no](http://www.marinfoto.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)





**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfoto.no](http://www.marinfoto.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)





**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfoto.no](http://www.marinfoto.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)





**MARIN FOTO**


Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfoto.no](http://www.marinfoto.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)



## What's included?



## Getting started

SS-i6 is preset for bare iPhone 6 without phone jacket. Customization can be made on SS-i6 to fit the iPhone with phone jacket. To do so, replace the pre-configured side spacers at the front housing with thinner side spacers depending on the thickness of the phone jacket. Replace the pre-configured 2mm front cushions with 1mm cushions supplied with the package.

## Awards

Seashell has obtained various awards



**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

www.marinfo.no  
marin@uvfoto.com



## Video links

[https://www.youtube.com/watch?v=y0dRw2b7x\\_8](https://www.youtube.com/watch?v=y0dRw2b7x_8)  
<https://www.youtube.com/watch?v=2QYR5o5YUso>  
[https://www.youtube.com/watch?v=AW\\_mvNL4Ukc](https://www.youtube.com/watch?v=AW_mvNL4Ukc)  
<https://www.youtube.com/watch?v=ekx9raC3hlc>  
<https://www.youtube.com/watch?v=bPzgMk4HmTY>  
<https://www.youtube.com/watch?v=XocclP3BWyg>  
<https://www.youtube.com/watch?v=Fcl78SCzV58>  
<https://www.youtube.com/watch?v=mnFUPx2orVg>  
<https://www.youtube.com/watch?v=s1acsitbKGw>  
<https://www.youtube.com/watch?v=0mwvKO1I23g>  
<https://www.youtube.com/watch?v=2ZO0Gt5KJLg>  
<https://www.youtube.com/watch?v=ekx9raC3hlc>  
<https://www.youtube.com/watch?v=DoixIUkPasl>  
<https://www.youtube.com/watch?v=vGkBpNCymjl>

## Certificates

Seashell SS-i6 has obtained international test certifications

**SGS**  
Test Report No. 201916866 Date: Dec 02 2019 Page 1 of 5

ZEAR COMPANY  
8B, Lascar House  
2-12 Au Pui Street  
Kowloon, Hong Kong

The following test  
CONFIGURABLE

SGS Job No. \_\_\_\_\_  
Mode or type of test \_\_\_\_\_  
Serial number \_\_\_\_\_  
Sample receiving \_\_\_\_\_  
No. of samples \_\_\_\_\_  
Sample testing at \_\_\_\_\_  
Test requested \_\_\_\_\_  
Test method \_\_\_\_\_  
Test result \_\_\_\_\_

Signed for and on behalf of  
SGS Hong Kong \_\_\_\_\_  
Mark Cho Yin  
Senior Technical

**SGS**  
Test Report No. 201916866 Date: Dec 02 2019 Page 1 of 5

ZEAR CORPORATION LIMITED  
8B, Lascar Industrial Centre  
2-12 Au Pui Street, Kowloon, Hong Kong

The following sample was submitted and identified by client as:  
CONFIGURABLE WATER PROOF CAMERA CASE

SGS Job No. 321279 Page 1 of 5  
Mode or type of test Standard ISO 1  
Serial number Not provided  
Sample receiving details Top 20, 2019  
No. of samples received 4 lots  
Sample testing period Sep 26, 2019 to Nov 06, 2019  
Test requested Refer to test page(s)  
Test method Refer to test page(s)  
Test result Refer to test page(s)

Signed for and on behalf of  
SGS Hong Kong \_\_\_\_\_  
Mark Cho Yin  
Senior Technical Manager

SGS is a member of the Bureau Veritas Group. For more information, please visit [www.sgs.com](http://www.sgs.com).  
SGS is a member of the Bureau Veritas Group. For more information, please visit [www.sgs.com](http://www.sgs.com).  
SGS is a member of the Bureau Veritas Group. For more information, please visit [www.sgs.com](http://www.sgs.com).  
SGS is a member of the Bureau Veritas Group. For more information, please visit [www.sgs.com](http://www.sgs.com).  
SGS is a member of the Bureau Veritas Group. For more information, please visit [www.sgs.com](http://www.sgs.com).  
SGS is a member of the Bureau Veritas Group. For more information, please visit [www.sgs.com](http://www.sgs.com).  
SGS is a member of the Bureau Veritas Group. For more information, please visit [www.sgs.com](http://www.sgs.com).  
SGS is a member of the Bureau Veritas Group. For more information, please visit [www.sgs.com](http://www.sgs.com).  
SGS is a member of the Bureau Veritas Group. For more information, please visit [www.sgs.com](http://www.sgs.com).  
SGS is a member of the Bureau Veritas Group. For more information, please visit [www.sgs.com](http://www.sgs.com).



**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfoto.no](http://www.marinfoto.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)



## Accessories

### SS-Light II

LED flash light with stay arm



### SF2

Selfie stick



### CM2

Camera Mat



### OC2

Optics Cleaning Cloth



**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfoto.no](http://www.marinfoto.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)



## SS-i6 Photos



**MARIN FOTO**


Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfo.no](http://www.marinfo.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)







**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfo.no](http://www.marinfo.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)





**MARIN FOTO**

Knappevegen 24, 5337 RONG - NORWAY

Tlf: 56 38 74 77 Mobil: 92 02 32 48

[www.marinfoto.no](http://www.marinfoto.no)  
[marin@uvfoto.com](mailto:marin@uvfoto.com)

