HETI

Video system uten behov for fast strømforsyning – batteri i monitorsystemet. Alt styres fra kontrollsystemet.



12 timers bruk / Justerbar teleskop stang 12m / Full HD / Innebygd lys / Tett til 100m / Totalvekt 18kg

MARIN FOTO www.marinfoto.no Tlf: 920 23 248

www.marinfoto.no

1080P Full HD Under Water Inspection Camera System #D10000(Update Option)

Application: widely used in aquaculture (fish, sea cucumber, etc.).underwater wedding photography, submarine marine life research, water pipe pile hole imaging, downhole TV, underwater investigation, underwater operations (such as checking the cage hole), diving adventure, underwater engineering acceptance, downhole observation (such as drilling wells), leisure, fishing, etc.;



Performance


- Ø70MM,1080P full HD Camera Head.Can be permanently
- fixed underwater 1/2.8 sensor
- 13.3 inch 1080P full DH Display
- 24 difference menu languages 500G Hard Driver
- Support wireless mouse
- Support LAN.WAN
- H.264 and AVI video format
- 12M Telescopic Pole





www.marinfoto.no







Cable	The default length is 10 meters (the longest is no more than 80 meters),PU material,diameter 6.7MM.Resistance to 60KG pull,Anti-aging,Anti-friction,Resistance to seawater corrosion,Special underwater wire.
Cable length	20M
supporting device	Support iOS, Android, computer, NVR.Compatible with hikvision, dahua, proprietary protocol.(Only support windows-IE browser for camera internal parameter setting)
supporting agreement	RTSP/FTP/PPPOE/DHCP/DDNS/NTP/UPnP/ONVIF;SDK Secondary development
Use environment	Sea water / fresh water /Underwater,land,Car,Shipborne.
Working humidity	0%-100%
working temperature	-20°~55°
Telescopic Pole	
Material	Carbon Fiber
Lenght	12M
Packing List	
1*suitcase 1*20M cable 1*12M pole 1*Mouse	
1*Mouse 1*Charger 1*Mannual 1*Sun visor	MARIN FOTO www.marinfoto.no Tif: 920 23 248



www.marinfoto.no

Spec Detail:

Spec Detail:		
Dispaly		
Screen	13.3-inch 1080P Full HD LED screen	
Resolution	16:9, 1920 X 1080(V) Wide viewing angle, Can clear the image details	
Waterproof	IP65 waterproof rating, to prevent jet water immersion	
OSD language	English, Chinese, etc. (12 languages available)	
Suitacase		
DVR	support for video, playback, query, copy and so on	
	support for controlling the display function	
Audio	audio input, you can record the sound through the microphone, stored to the hard disk	
Languages	24 Language	
Output1	Support external HDMI display output	
Output2	USB output for the phone to provide emergency charging	
Display pixels	1920*1080P	
Storage pixels	1920*1080P	
Storage	built-in 500GB hard drive, long time storage 1080P HD video	
Special	anti-knock, effectively ensure that the internal components of normal work	
Waterproof	IP65 waterproof rating, to prevent the jet of water immersion	
Network	support mobile phones and computer LAN, WAN, through the RJ45 network port to watch the camera and view the video	
Mouse	support the mouse for quick operation	
Video format	H.264 and AVI	
Built-in Battery	1million mAh lithium battery,18-25.8V battery(Battery working time: 9-13 hours)Lithium battery	
Charger	DC24V Adaptor	
Demension	42*34*18CM	
Gross/Net Weight	10.5KG/10KG	
Camera Head	·	
Demension	Ø70*100mm	
Lens	2.0mm (H.FOV:140°)	
Sensor	1/2.8" SONY CMOS sensor ,color 0.001Lux F1.2,black/white 0.0001Lux F1.2	
Resolution	2MP 1920×1080P 25FPS	
Illumination	Light sensor contorlled 3 white light, 4 infrared light, 10 level brightness settings	
Material	316L stainless steel, anti-corrosion	
Waterproof	IP68	
Water Depth	Maximum 1000Kpa (Waterpressure resisitance 100M)	

