


2024-2025

SUPE[®]
scubalamp underwater photography equipment

CATALOGUE Yinghe Technology Co.,Ltd



SUPE[®]
scubalamp underwater photography equipment

☎ +86-18682006561


✉ Email: sales@scubalamp.com

🌐 www.scubalamp.com

📍 Room 201, Building 4, No. 31 Binhe Road, Zhangmutou Town,
Dongguan City, Guangdong, China

Scubalamp Photography Underwater Equipment

Some Partners We Served



COMPANY PROFILE

Scubalamp(SUPE) is specialized in designing and manufacturing scuba Underwater Photography Equipment from 2011.

New models were developed based on the feedback from professional photographers around the world. Being committed to manufacturing high-end, precise, safe and functional Underwater Photography Equipment with understanding the actual requirements in detail to ensure safety & fun while diving, and ability to provide the lights needed for taking outstanding pictures and videos.

Scubalamp models are tested in a hydraulic laboratory, as well as by a dedicated deep sea diving team. All Scubalamp models and products have been rigorously tested and confirmed reliable up to 100 meters before can be released to market.

Our mission is to be the most trusted brand in the field of Underwater Photography Equipment.



D-PRO Strobe

Instant recharge

Recycle time:0.1-1.1s Beam angle:150°

**Continuous unlimited flash sync with
10 flashes/sec at first mode**



- Battery capacity to fire up to 3000 flashes (500 flashes on full).
- Battery compartment sealed.



- Guide number : 30
- Flash tube : circular flash tube
- Power : 160 Ws
- Connection : optical cable / 5 pin syn cord/flash of light
- Illumination : 150°
- Color temperature : 4800K
- Flash capacity : 500 flashes at full power, 3000 flashes at 1st mode

- Recycle time : 0.1s---1.1s
- Flash speed : continuous unlimited flash sync with 10 flashes/sec at first mode
- Focus/target light : 5W / 500 lumens (center focus)
- Waterproof depth : 100m
- Weight (underwater) : 120g
- Dimensions : 170 x 90 mm
- Weight (on land) : 1080g without battery

UM5.5 HDR Monitor



- Full HD IPS screen
- Ultra-bright 3000nit
- Light sensor auto dimming
- Support HDR monitoring
- Support 3D LUT Log to REC.709



Compatible Battery:2*21700 Battery
Dot Pitch:0.069(L) X 0.069(W)(mm)
Angle:80°/80°(L/R) 80°/80°(U/D)
Weight:1270g (on land with battery)
Size:175L x 111H x 32.2D(mm)

V6K v3 Video Light

Compact Powerhouse

Perfect for underwater video by digital camera, Mirrorless camera, compact camera, phone and Gopro

CRI up to 96. Infinitely close to the sunlight

R9:94

TCLI:97

CCK:5600k



Easy Carrying Battery Pack



Remote Control
via fibre cable

- Weight: 570g(on land with battery)
- Battery Capacity:44.4Wh(14.8V×3.0Ah)
- Mode: Dual button nine steps dimming mode(Support remote control)
- Output: White light(100%)12000 lumens
- Dimensions:145mm×49mm×60mm

V6K Pro v3 Video Light

Deep Sea Sunshine-Professional Video Light & Blackwater Light Source
Perfect for underwater video by digital camera, mirrorless camera.

CRI up to 96. Infinitely close to the sunlight

R9:94

TCLI:97

CCK:5600k

12000lumens



Easy Carrying Battery Pack



Remote Control
via fibre cable

- Weight: 872g(on land with battery)
- Battery Capacity:88.8Wh(14.8V×6.0Ah)
- Mode: Dual button nine steps dimming mode (Support remote control)
- Output: White light(100%)12000 lumens
- Dimensions:211mm×54.5mm×60mm

V4K v3 Video Light

Compact Powerhouse

Perfect for underwater video by compact camera, phone and Gopro
CRI up to 96. Infinitely close to the sunlight

R9:94

TCLI:97

CCK:5600k



Easy Carrying Battery Pack



Remote Control
via fibre cable

- Weight :570g(on land with battery)
- Compatible Battery:4*18650 battery
- Mode: Dual button nine steps dimming mode— Remote control switch (optional)
- Output: White light (100%) 8000 lumens
- Dimensions: 145mm*49mm*60mm

V4K Pro v3 Video Light

Deep Sea Sunshine-Professional Video Light & Blackwater Light Source
Perfect for underwater video by digital camera, mirrorless camera.

CRI up to 96. Infinitely close to the sunlight

R9:94

TCLI:97

CCK:5600k

8000lumens



Easy Carrying Battery Pack



Remote Control
via fibre cable

- Weight: 872g(on land with battery)
- Battery Capacity: 88.8Wh(14.8V*6.0Ah)
- Mode: Dual button nine steps dimming mode(Support remote control)
- Output: White light(100%)8000 lumens
- Dimensions: 211mm*54.5mm*60mm

V3K v3 Video Light

Compact Powerhouse

Perfect for underwater video by compact camera, phone and Gopro
CRI up to 96. Infinitely close to the sunlight

R9:94

TCLI:97

CCK:5600k



Easy Carrying Battery Pack



Remote Control
via fibre cable

- Weight :506g(on land with battery)
- Compatible Battery:3*18650 battery
- Mode: Dual button nine steps dimming mode
—— Remote control switch (optional)
- Output: White light(100%)5600 lumens
- Dimensions:145mm*46mm*60mm

V3K Pro v3 Video Light


Deep Sea Sunshine-Professional Video Light & Blackwater Light Source
Perfect for underwater video by digital camera, mirrorless camera.

CRI up to 96. Infinitely close to the sunlight

R9:94

TCLI:97

CCK:5600k



Easy Carrying Battery Pack



Remote Control
via fibre cable

- Weight :786g(on land with battery)
- Compatible Battery:6*18650 battery
- Mode: Dual button nine steps dimming mode
—— Remote control switch (optional)
- Output: White light(100%)5600 lumens
- Dimensions:211mm*50mm*60mm

P33 Photography Light

Synchronize the compact camera in 1/2000 seconds

Video mode / Focus mode / Flash mode



Color Rendering Index(CRI):96
 Color Temperature(CCK):5600K
 Dual button nine steps dimming mode
 · Video mode:White light 5600 lumens (35-250 minutes)
 · Focus mode:White light, red light, pink light, and blue light (UV optional)
 · Flash mode:Synchronize the compact camera in 1/2000 seconds
 Dimensions:137mm×46mm×56mm Weight :518g(on land with battery)

P33 Pro Photography Light

Synchronize the compact camera in 1/2000 seconds

Video mode / Focus mode / Flash mode



Easy Carrying Battery Pack



Color Rendering Index(CRI):96
 Color Temperature(CCK):5600K
 Dual button nine steps dimming mode
 Video mode:White light 5600 lumens (70-500 minutes)
 Focus mode:White light, red light, pink light, and blue light (UV optional)
 Flash mode:Synchronize the compact camera in 1/2000 seconds
 Dimensions:203mm×50mm×56mm Weight :798g(on land with battery)

PV73 Three In One Functional light

Flood beam: 7000lumens, burning time: 40minutes - 220minutes

Spot beam: 2500lumens, burning time: 90minutes - 400minutes

Red light (UV,blue or other color is optional)



- Weight: 604g(on land with battery)
- Battery: 4*18650 battery pack
- Mode: Dual button five steps dimming mode (100%-80%-60%-40%-20%)
- Battery Capacity: 44.4Wh(14.8V×3.0Ah)
- Dimensions: 149mm×49mm×58mm

PV73 Pro Three In One Functional light

Flood beam: 7000lumens, burning time: 80minutes - 440minutes

Spot beam: 2500lumens, burning time: 180minutes - 800minutes

Red light (UV,blue or other color is optional)



- Weight: 937g(on land with battery)
- Battery: 8*18650 battery pack
- Mode: Dual button five steps dimming mode (100%-80%-60%-40%-20%)
- Battery Capacity: 88.8Wh(14.8V×6.0Ah)
- Dimensions: 215mm×54.5mm×58mm

PV53 Three In One Functional light

Flood beam: 5000lumens, burning time: 45minutes - 240minutes

Spot beam: 2500lumens, burning time: 70minutes - 320minutes

Red light (UV,blue or other color is optional)



- Weight: 501g(on land with battery)
- Battery:3*18650 battery pack
- Mode: Dual button five steps dimming mode (100%-80%-60%-40%-20%)
- Battery Capacity:33.3Wh(11.1V×3.0Ah)
- Dimensions:149mm×46mm×50mm

PD95 Diving Light

HIGH-POWER&HIGH-INTENSITY LIGHT,STEPLESS DIMMING&SOS FUNCTIONS
FOR DIVING,BLACKWATER PHOTOGRAPHY SEARCHING&FOCUSING



Max output:4000 Lumens(2hours)
Compatible with9000mAh battery pack
Beam Angle: 15 degrees
Dimensions:153mm*45mm*55mm(head
Net weight: 290g (Underwater) • Waterproof: 100M diving depth

PV10 v2 Video Focus Lights

Output:1500lumens Upgrad 25% ⚡

Runtime:3.5hours Upgrad 50% ⚡

Delicate and compact
Three dives a day without recharging



- Weight:242g(on land with battery)
- Dimensions:135mm*26mm*36mm
- Battery:1*21700 battery
- Beam Angle:120°
- Mode:ON - High - Low - Strobe - OFF

PV21 Two In One Dive Light

Flooding beam: 2000 lumens Spot Beam: 1200 lumens

Delicate and compact. Single charge enable a full day diving.



Weight:261g(on land with battery)
Dimensions:133mm*27mm*40mm
Battery:1*21700 battery
Beam Angle:100°
Mode:White light(flood beam 100%),White light
(flood beam50%),White light(spot beam)

PV22 v3 Compact Supplemental Light

White light: 2000 lumens
Color light: White light/Red light (UV/Blue light optional)



- Weight: 268g (on land with battery)
- Dimensions: 139mm x 27mm x 42mm
- Battery: 1 x 21700 battery
- Beam Angle: 100°
- Mode: White light (100%) - White light (50%) - Red (UV/Blue light optional)

F22 Compact Focus Light

Beam angle: 45°

Compact & easy carrying
Red & white light Focus dedicated



- Weight: 273g (on land with battery)
- Size: 142mm x 27mm x 43mm
- Battery: 1 x 21700 battery
- Mode: white light (100%) - white light (50%) - Red light/UV
- Lumens: white light (100%) 2000 Lumens, white light (50%) 1000 Lumens

RD75E Diving Light

BEST DIVING BUDDY-LIGHTWEIGHT DESIGN
AND COST-EFFECTIVE



- Max output: 1200 Lumens(2hours)
- 1*18650 battery, by Type C cable charging
- Beam Angle: 15 degrees
- Dimensions: 136mm x 26mm x 29mm
- Net weight:136g with battery
- Waterproof: 100M diving depth

RD80 v2 Diving Light


ONE TIME CHARGING
ONE DAY DIVING



- Max output: 1500 Lumens(3.5hours)
- 1*21700 battery, by Type C cable charging
- Beam Angle: 15 degrees
- Dimensions: 150mm x 26mm x 35mm
- Net weight: 206g
- Waterproof: 100M diving depth

RD90 v2 Diving Light

ONE TIME CHARGING
ONE DAY DIVING



- Max output: 2000 Lumens(3 hours)
- 1*21700 battery,by Type C cable charging
- Beam Angle: 15 degrees
- Dimensions: 153mm x 26mm x 47mm
- Net weight: 262g
- Waterproof: 100M diving depth

RD93 Diving Light

HIGH-POWER & HIGH-INTENSITY LIGHT,
HIDDEN STEPLESS DIMMING & STROBE FUNCTIONS.
THE BEST CHOICE FOR DIVING,UNDERWATER EXPLO RATION,
UNDERWATER FISHING AND HUNTING.



- Max output:3000 Lumens(3.5 hours)
- Compatible with 2*26650 battery
- Beam Angle: 15 degrees
- Dimensions: 235mm x 35mm x 60mm(head)
- Net weight: 330g (Underwater)
- Waterproof: 100M diving depth

CF18-BP33 Tech Diving Light



- Mode: 1800lumens (210 Mins) ->900lumens (420mins)
- 9000mAh Battery Pack
- Size: 152mm*47mm*52mm(head)
- Weight: 502g on land
- waterproof: 150meters

CF18-BP66 Tech Diving Light



- Mode: 1800lumens (420Mins) ->900lumens (840mins)
- 18000mAh Battery Pack
- Size: 110mm*52mm(head), 163mm*52mm
- Weight: 1108g on land
- waterproof: 150meters

CF21-BP33 Tech Video Light



- Mode: Spot light:1800lumens(210mins)->A2: 900lumens(420mins)
Wide Beam:2100lumens(65mins, Constant Current) ->B2: 1100lumens (130mins, Constant Current)
- 9.000mAh battery pack
- Size:152mm*47mm*52mm • Weight: 502g on land
- Water Proof: 150meters

CF21-BP66 Tech Video Light



- Mode: Spot light:1800lumens (420mins) ->A2: 900lumens (840mins)
Wide Beam:2100lumens (130mins, Constant Current) ->B2: 1000lumens (260mins, Constant Current)
- 18.000mAh battery pack
- Size:110mm*52mm, 163mm*52mm Weight: 1108g on land
- Water Proof: 150meters

MS10 Macro Snoot Photography

Narrow angle beam for longer distances illuminancy;
100.000 lux at 100mm Filter For MS10



- illuminancy:100.000 lux at 100mm
- Net weight:178g 112g(Underwater)
- Stepless dimming at working mode
- Narrow Angle Beam for longer distances
- Beam Angle:5 degrees
- Waterproof:100M diving depth

Case for BP33



Product Specification It's body case for battery pack, no battery inside. Apply for V3K v3, P33

Case for BP66



Product Specification It's body case for battery pack, no battery inside. Apply for V3K Pro v3, P33 Pro

Case for BP44



Product Specification It's body case for battery pack, no battery inside. Apply for V6Kv3, V4Kv3. PV73

Case for BP88



Product Specification It's body case for battery pack, no battery inside. Apply for V6K Pro v3, V4K Pro v3. PV73 Pro



BP 33
3*18650
Batteries Pack



BP 66
6*18650
Batteries Pack



BP 44
4*18650
Batteries Pack



BP 88
8*18650
Batteries Pack

29



S100
Reductor Ring



D210
Difuser



D200
Difuser



S01
Flip diopter
holder S01



S02
Flip diopter
holder S02



21700
1*21700
Battery



18650
1*18650
Battery



12.6V
Type C Charger
12.6v



16.8V
Type C Charger
16.8v



**1-1 6PIN
cable set**



TG-L
Remote control
bracket



**Remote Control
Set**
1*Remote Control
2* Optic Fibre



**1-26pin
Cable**



**1-2 6pin
Cable**



**6pin Cable
adapter**



M24 to M16
Bulkhead



M18 to M16
Bulkhead



**1-2 6PIN
cable set**

30



HS-YS
Hot shoe



HS-Hot shoe
90 degree



DE-ARM5
5" DE-ARM BALL



HS-B
Hot shoe
45 degree



DE-ARM5
10" DE-ARM
BALL



**DE-ARM
BALL/YS**



F26290
F-ARMS 12



FA72140
Float Arm



FA50150
Float Arm



AJ-ARMS
Adjustable



**ARMS 4
ARMS 6
ARMS 8**



**ARMS 10
ARMS 12**



**Long ball
joint**



BJ05
Ball joint



Handle



SN-P53
Snoot



Filter



YSAD
SUPE Model
YS Adapter



Protective cover



Head Cover
Protective cover



D33
3*18650
Batteries Pack



OSD
Optical Shaping
Device(Adapter
not included)



OSD
Adapter



TG
Balljoint



TG Ball



TG15
Gopro Tray Grip



TG20
Double Tray Grip



TG-B
Shuttle Release



**TG20&TG-B
SET**



TG10
Tray Grip



AC42
long version
Tri-compression
Clamp



AC02
Butterfly Clamp




AC03
Butterfly Clamp



AC04
Butterfly Clamp



GBJ-05
Gopro Ball joint




El **llets de ma**

El cavallet de mar és un dels animals més curiosos que desperten interès entre els bussejadors. Els seus costats són blancs i els peixos que més curiositat desperten entre els bussejadors són els cavallets de mar. Els fans de l'oceà poden trobar-los amb freqüència a les costes de Badalona, però a que els puguem observar és molt complicat.

Són voracíssims depredadors. Malgrat el seu petit mida, són capaçs de menjar-se peixos més grans que ells. La femella depone els ous en el sac ventral del mar i els petits es desenvolupen dins d'aquests sacs.

Marc Casanovas


Underwater photographer since 1996,
born in Badalona in 1970.







Marcello Di Francesco

In over 10 years of activity he has packed thousands of dives all around the world.



Ferran Sanchez

Currently he shoots with Nikon D500 and two Scubalmap D-Pro strobes.





Set One




Set Two




Set Five



Set Six



Set Three




Set Four




SUPE Set



SUPE DIY



Set Seven



Set Eight